MB0 Bathscreen
FIXED SQUARE

BATH SCREENS

1500 MM HEIGHT STANDARD RANGE

6 MM GLASS THICKNESS

LIFETIME GUARANTEE

FEATURES & BENEFITS

– 6mm toughened safety glass

– Reversible

CE
CE STANDARDS

Product Information

Fixed Square		
Size	Panel	Order Code
800x1500	1	MB0

Configuration

Screen

Screen is reversible

Inside bath edge

Please ensure product is fitted with moving panel seals in line with bath inside edge.

⌷○ Recommended shower head position

MB1 SINGLE CURVED
Bathscreen

BATH SCREENS

1500 MM
HEIGHT
STANDARD RANGE

6 MM
GLASS THICKNESS

LIFETIME GUARANTEE

FEATURES & BENEFITS

– 6mm toughened safety glass

– Reversible

– Featuring HydraSeal

CE
CE STANDARDS

HydraSEAL

Product Information

Single Curved		
Size	Panel	Order Code
800x1500	1	MB1

Configuration

B

Door Swing: 90° in and out
B: Radius of Screen Swing = 733mm
Recommended shower head position

Screen
Screen is reversible
Inside bath edge

Please ensure product is fitted with moving panel seals in line with bath inside edge.

MB**2** SINGLE SQUARE
Bathscreen

BATH SCREENS

1500 MM HEIGHT STANDARD RANGE

6 MM GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

– 6mm toughened safety glass

– Reversible

– Featuring HydraSeal

CE
CE STANDARDS

HydraSEAL

Product Information

Single Square		
Size	Panel	Order Code
800x1500	1	MB2

Configuration

B

Door Swing: 90° in and out
B: Radius of Screen Swing = 733mm
Recommended shower head position

Screen
Screen is reversible
Inside bath edge

Please ensure product is fitted with moving panel seals in line with bath inside edge.

MB3 Bathscreen 2 PANEL CURVED

BATH SCREENS

1500 MM
HEIGHT
STANDARD RANGE

6 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- 6mm toughened safety glass

- Reversible

- Featuring HydraSeal

CE
CE STANDARDS

HydraSEAL

Product Information

2 Panel Curved		
Size	Panel	Order Code
1150x1500	2	MB3

Configuration

A: Fixed Panel   B

Screen
Screen is reversible
Inside bath edge

Please ensure product is fitted with moving panel seals in line with bath inside edge.

Door Swing: 90° in and out
A: Fixed Panel B: Radius of Screen Swing = 733mm
⬭ Recommended shower head position

Merlyn Showering
Tel: Freephone 0808 1011 429
Email: spec@merlyn.ie
Web: www.merlynshowering.com

MB3a Bathscreen
2 PANEL FOLDING CURVED

BATH SCREENS

1500 MM HEIGHT STANDARD RANGE

6 MM GLASS THICKNESS

LIFETIME GUARANTEE

FEATURES & BENEFITS

– 6mm toughened safety glass

– Reversible

– Featuring HydraSeal

CE CE STANDARDS

HydraSEAL

Product Information

2 Panel Folding Curved		
Size	Panel	Order Code
900x1500	2	MB3A

Configuration

Door Swing: 90° in and out
A: Fixed Panel **B:** Radius of Screen Swing = 483mm
Recommended shower head position

Screen

Screen is reversible

Inside bath edge

Please ensure product is fitted with moving panel seals in line with bath inside edge.

MB3b Bathscreen
2 PANEL FOLDING SQUARE

BATH SCREENS

1500 MM HEIGHT STANDARD RANGE

6 MM GLASS THICKNESS

LIFETIME GUARANTEE

FEATURES & BENEFITS

– 6mm toughened safety glass

– Reversible

– Featuring HydraSeal

CE
CE STANDARDS

HydraSEAL

Product Information

2 Panel Folding Square		
Size	Panel	Order Code
900x1500	2	MB3B

Configuration

Door Swing: 90° in and out
A: Fixed Panel **B:** Radius of Screen Swing = 483mm
⊏◯ Recommended shower head position

Screen
Screen is reversible
Inside bath edge

Please ensure product is fitted with moving panel seals in line with bath inside edge.

MB4 4 FOLD

Bathscreen

BATH SCREENS

1400 MM
HEIGHT
STANDARD RANGE

4 MM
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

FEATURES & BENEFITS

– 4mm toughened safety glass

– Reversible

$C\boldsymbol{\epsilon}$

CE STANDARDS

Product Information

4 Fold		
Size	Panel	Order Code
850x1400	4	MB4

Configuration

Screen

Inside bath edge

Screen is reversible

Please ensure product is fitted with moving panel seals in line with bath inside edge.

A: Moving Panels (Panel width 200mm)

Recommended shower head position

MB5 CURTAIN RAIL
Bathscreen

BATH SCREENS

1500 MM
HEIGHT STANDARD RANGE

6 MM
GLASS THICKNESS

LIFETIME GUARANTEE

FEATURES & BENEFITS

– 6mm toughened safety glass

– Reversible

CE
CE STANDARDS

Product Information

Curtain Rail		
Size	Panel	Order Code
300x1500	1	MB5

Configuration

Height is 1550mm including rail
A: Fixed Panel **B:** Curtain Rail
Recommended shower head position

Screen

Inside bath edge

Screen is reversible

Please ensure product is fitted with moving panel seals in line with bath inside edge.

MB6 Bathscreen
HINGED SQUARE

BATH SCREENS

1500 MM
HEIGHT
STANDARD RANGE

8 MM
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

FEATURES & BENEFITS

– 8mm toughened safety glass

– Reversible

CE
CE STANDARDS

Product Information

Hinged Square		
Size	Panel	Order Code
850x1500	1	MB6

Configuration

B

Door Swing: 90° outward swing only
B: Radius of Screen Swing = 810mm
⬭ Recommended shower head position

Screen

Screen is reversible

Inside bath edge

Please ensure product is fitted with moving panel seals in line with bath inside edge.

MB7 Bathscreen
2 PANEL HINGED

BATH SCREENS

1500 MM HEIGHT STANDARD RANGE

8 MM GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

– 8mm toughened safety glass

– This product is handed

CE
CE STANDARDS

Product Information

2 Panel Hinged		
Size	Panel	Order Code
900x1500	2	MB7L (Left Handed)
900x1500	2	MB7R (Right Handed)

Configuration

Door Swing: 180 Degrees inwards only
A: Fixed Panel = 497mm
B: Radius of Screen Swing = 383mm
Recommended shower head position

Screen

Inside bath edge

Please ensure product is fitted with moving panel seals in line with bath inside edge.

MB8 Bathscreen

2 PANEL FOLDING

BATH SCREENS

1500 MM HEIGHT STANDARD RANGE

8 MM GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

– 8mm toughened safety glass

– Reversible

CE

CE STANDARDS

Product Information

2 Panel Folding		
Size	Panel	Order Code
1100x1500	2	MB8

Configuration

538 mm | 488 mm

Screen

Screen is reversible

Inside bath edge

Please ensure product is fitted with moving panel seals in line with bath inside edge.

Door Swing: 180 degree radius of screen swing inwards and outwards

Recommended shower head position

MB9 Bathscreen — 3 PANEL FOLDING

BATH SCREENS

1500 MM — HEIGHT STANDARD RANGE

8 MM — GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

– 8mm toughened safety glass

– Reversible

CE — CE STANDARDS

Product Information

2 Panel Folding		
Size	Panel	Order Code
1400x1500	3	MB9

Configuration

467 mm | 422 mm | 422 mm

Screen — Inside bath edge

Screen is reversible

Please ensure product is fitted with moving panel seals in line with bath inside edge.

Door Swing: 180 degree radius of screen swing inwards and outwards

⊑◯ Recommended shower head position